

encyclopedia

A

[absorption](#)
[AC](#)
[active filter](#)
[ADC](#)
[Address Bus](#)
[AGC](#)
[AI](#)
[alphanumeric](#)
[AM](#)
[AMP](#)
[amperage](#)
[ampere](#)
[amplifier](#)
[amplitude](#)
[analog](#)
[anode](#)
[ANSI](#)
[antenna](#)
[Appletalk](#)
[array](#)
[array](#)
[ASCII](#)
[assembler](#)
[assembly language or assembler](#)
[astable](#)
[ATA](#)
[ATAPI](#)
[attenuation](#)
[AUI](#)
[AWG](#)
[Active Component](#)
[Aerial](#)
[AF \(Audio Frequency\)](#)
[ammeter](#)
[AND](#)

B

[backplane](#)
[bandwidth](#)
[base](#)
[battery](#)

[baud](#)
[BCD](#)
[BER](#)
[beta](#)
[bi-directional](#)
[binary](#)
[binary file](#)
[bios](#)
[bipolar](#)
[bit](#)
[bitrate](#)
[blackout](#)
[board](#)
[Boolean](#)
[boot](#)
[bootstrap](#)
[BPS](#)
[brownout](#)
[BTU](#)
[buffer](#)
[bug](#)
[BUS](#)
[BUS cycle](#)
[BUS width](#)
[byte](#)
[bridge rectifier](#)
[Back Electromotive Force \(back emf\)](#)
[Bipolar Transistor](#)
[Bistable](#)
[Bottoming](#)
[Bridge](#)
[bypass capacitor](#)

C

[capacitance](#)
[capacitor](#)
[carrier sheet](#)
[Cat 5 or Category 5](#)
[cathode](#)
[CBR](#)
[CCD](#)
[CCD](#)
[CCTV](#)
[Celsius](#)
[Central Processing Unit](#)
[Centronics](#)
[charge](#)
[chassis](#)

Chassis Ground
checksum
chip
chipset
choke
circuit
circuit board
circuit breaker
CISC
clock
clock rate
CMA
CMIL
CMOS
coax
coercivity
coil
cold start
collector
comparator
compile
compiler
compliant
component
conductor
contact
continuity
coulomb
CPLD
CPU (Central Processing Unit)
CRC
cross assembler
crosstalk
CRT
current
cutoff frequency
cycle
Cascade
Ceramic capacitor
complementary transistor
condenser

D

data
data rate
daughter board
dB
DB25

DB9
DC
debug
decibel
decimal
decrement
delta connection
Delta Transformer
demodulation
dielectric
differential amplifier
digital
digital signal
DIN
diode
DIP
DIP switch
DMA
driver
DSP
DSR
DTMF
DTR
duplex
darlington pair
diode drop
dipole
direct coupled amplifier
discrete
distortion

E

Earth Ground
EEPROM
EIA
EIA-232
EIDE
EISA
electrode
electromagnetic
electron
embedded system
EMF
emitter
EOL
EPROM
even parity
ECL

electrolytic
exclusive or

F

F
Fahrenheit
farad
fault
FCC
FET
Fiber optics
filter
firmware
flash
FM
FPGA
FPIC
frame
frequency
full duplex
fuse
feedback
flip flop
Full Scale Deflection FSD

G

gain
gate
gauge
ghz
glitch
ground
ground plane

H

half duplex
handshake
hardware
hardwired
harmonic
heatsink
henry

[hertz](#)
[HEX or hexadecimal](#)
[high or hi](#)
[hz](#)

I

[I2C](#)
[IC](#)
[IDE](#)
[IEE](#)
[IEEE](#)
[impedance](#)
[increment](#)
[inductance](#)
[inductor](#)
[Industry Canada](#)
[infrasound](#)
[initialization](#)
[install](#)
[installation](#)
[instruction](#)
[insulator](#)
[integrated circuit](#)
[interface](#)
[interpreter](#)
[interrupt](#)
[I/O](#)
[IR](#)
[IrDA](#)
[IRQ \(Interrupt Request\)](#)
[IRQ \(Interrupt Request\)](#)
[ISO](#)
[interference](#)
[inverter](#)

J

[JEDEC](#)
[jitter](#)
[junction](#)
[JFET](#)

K

[KB or Kilobyte](#)
[KCMIL](#)
[Kelvin](#)
[kernel](#)
[kilobyte](#)
[kluge](#)
[KVA](#)
[KW](#)
[KWH](#)

L

[latency](#)
[LCD](#)
[LDR](#)
[LED](#)
[legacy](#)
[library](#)
[linear](#)
[line filter](#)
[line noise](#)
[LM555](#)
[logic](#)
[logic board](#)
[low \(or LO\)](#)
[low level language](#)
[LPF](#)
[l-c oscillator](#)
[leakage](#)
[loudspeaker](#)

M

[machine language](#)
[macrocell](#)
[matrix](#)
[MB](#)
[megabyte \(MB\)](#)
[memory](#)
[mercury](#)
[MFM](#)
[mhz](#)
[microcode or P-code](#)
[microfarad](#)
[microprocessor](#)
[microsecond](#)
[MIL](#)

[millisecond](#)
[minute](#)
[modulation](#)
[mods](#)
[monostable](#)
[MTBF](#)
[multimeter](#)
[multiplexer](#)
[megohm](#)
[microphone](#)
[MOSFET](#)
[MOS](#)
[multivibrator](#)

N

[NAND](#)
[nanosecond](#)
[NDA](#)
[NE555](#)
[nibble](#)
[noise](#)
[NO/NC](#)
[Non-Disclosure Agreement \(or NDA\)](#)
[non-volatile](#)
[NOR](#)
[NOT](#)
[NPN](#)
[N-type](#)
[NVRAM \(or NOVRAM\)](#)
[nybble](#)
[negative feedback](#)

O

[objects](#)
[Object Oriented Programming - OOP](#)
[OCR](#)
[octal](#)
[odd parity](#)
[OEM](#)
[OHM](#)
[OOP](#)
[Opamp](#)
[OR](#)
[OST](#)
[Ohm's Law](#)

[oscillator](#)
[output](#)

P

[packet](#)
[parallel](#)
[parameter](#)
[parity](#)
[parse](#)
[patch](#)
[PCB](#)
[PC Card](#)
[PCI](#)
[PCM](#)
[PCMCIA](#)
[P-Code](#)
[Perl](#)
[petabyte](#)
[phase](#)
[photoconductor](#)
[photodiode](#)
[phototransistor](#)
[pico](#)
[picosecond](#)
[PIO](#)
[pixel](#)
[PLA](#)
[PLD](#)
[plug-and-play or PnP](#)
[PNP](#)
[polarity](#)
[port](#)
[power](#)
[power supply](#)
[PQ](#)
[program](#)
[programmer](#)
[programming language](#)
[proportional amplifier](#)
[protocol](#)
[PROM](#)
[P-type](#)
[passive component](#)

Q

[Q](#)
[queue](#)

R

[rail](#)
[rail](#)
[RAM](#)
[random access memory - RAM](#)
[reactance](#)
[rectifier](#)
[rectify](#)
[register](#)
[relay](#)
[resistance](#)
[resistor](#)
[reverse polarity](#)
[RF](#)
[RFID](#)
[RG-6](#)
[RG-8](#)
[RG-58](#)
[RG-59](#)
[RG-62](#)
[RISC](#)
[RJ-11](#)
[RJ-45](#)
[RMS](#)
[ROM](#)
[routine](#)
[RS-232](#)

S

[sag](#)
[schematic](#)
[Schottky](#)
[SCR](#)
[SCSI](#)
[SE555](#)
[second](#)
[semi-conductor](#)
[serial](#)
[series](#)
[signal](#)
[software](#)
[solid state](#)

spike
SPLD
stack
static
static electricity
subroutine
substrate
subtractor
surge protector
switch
synchronous
syntax

T

terabyte
thermistor
thyristor
toggle
token
trace
transformer
transistor
transponder
trap
triac
tunneling
tweak

U

UART
UDMA
UHF
UHV
UI
ultraviolet
UMID
Unicode
unipolar
USB
UV

V

[VA](#)
[vacuum tube](#)
[variable resistor](#)
[VHF](#)
[VMEbus](#)
[volt](#)
[voltage divider](#)
[VOM](#)
[VOX](#)

W

[watt](#)
[wavelength](#)
[wire](#)

X

[X10](#)
[Xon/Xoff](#)
[XOR](#)

Y

[yagi](#)

Z

[Z](#)
[Z80](#)
[Zener](#)
[zeroing](#)
[zero wait state](#)
[zif](#)

From:
<https://midibox.org/dokuwiki/> - **MIDIbox**

Permanent link:
https://midibox.org/dokuwiki/doku.php?id=encyclopedia_entries&rev=1142972369

Last update: **2006/10/15 09:35**

