

MIDI docs

Utility Functions

[Forum Discussion Thread](#) - for comments, corrections, or questions about this article

[WORK IN PROGRESS]

The Utility Functions Menu is accessible by pressing MENU + GP Button #10, or the F1 button on the Wilba Frontpanel. Some of these functions (eg: COPY, PASTE, CLEAR) are directly accessible from the Frontpanel without having to go through a menu.

COPY and PASTE

Press COPY to make a copy a portion of the currently selected track into the SEQ's copy buffer. By default, the visible steps will be copied (ie: steps 1-16 if the SEQ's LCD is displaying the start of your pattern.) The COPY function works this way in most modes - if you're in any mode other than EDIT view, the SEQ will switch to EDIT - Step View while the COPY button is held, and will revert back to the previous view when the button is released.

While COPY is held down, you can select the range of steps that will be copied (remember: by default COPY copies the 16 visible steps). Move Encoder #1 to select the first step in the range, and any other encoder (including the datawheel) to select the last step in the range.

Pressing PASTE takes the steps in the copy buffer and pastes them into the track starting at the selected offset position. By default, the offset position is the first visible step on the LCD (eg: step 1, 17, 33, etc.). But you can choose a different offset if you want - while the PASTE button is held down, the offset can be selected with any encoder, including the Datawheel.

COPY/PASTE Options

You can choose whether the COPY/PASTE (and CLEAR) functions affect only the steps of the track, or the entire track (including MIDI port/channel settings, drum layer assignments, etc.) This configuration option is available through the "Paste and Clear Button Will Modify" option on the Options Page (UTIL (F1) -> OPT).

COPY/PASTE In SONG Mode

COPY copies the settings for that song position. Move to another song position, press PASTE, and that position will become identical to the one you copied.

COPY/PASTE With MIXER MAPS

In MIXER MAP mode, COPY copies the entire current MIXER MAP into the copy buffer. If you move to

another Mixer Map and press paste, that map will now be identical to the one you copied.

MENU+COPY and MENU+PASTE

Press MENU+COPY to export all currently selected tracks into the /PRESETS folder on the SD Card. The resulting files are named COPY[track].V4T. The [track] numbers in the filenames are independent from the actual track position - eg: if you select tracks 2, 4 and 6 on the SEQ, then press MENU+COPY, those tracks will be saved as COPY1.V4T, COPY2.V4T, and COPY3.V4T.

Press MENU+PASTE to import "COPY[track].V4T" files from the /PRESETS folder into all selected tracks, starting from COPY1.V4T to (up to) COPY16.V4T - eg: if you select tracks 1 and 7 on the SEQ, then press MENU+PASTE, COPY1.V4T will be copied into track 1 on the SEQ, and COPY2.V4T will be copied into track 7.

You can use these functions to quickly copy and paste tracks between patterns and sessions, to create temporary backups, to duplicate tracks, or whatever. Note that you can also import these COPY[track].V4T files from the MENU→Event→PRESETS menu. You may want to do this if you want to exclude certain parts of the preset.

CLEAR

In EDIT mode, pressing CLEAR will instantly clear the selected track(s).

In MIXER MAP mode, CLEAR clears the current Map.

In SONG mode, CLEAR clears the current song position.

MOVE

SCROLL

UNDO

A button is available to directly activate the UNDO function, but by default it is not assigned on the Wilba Frontpanel. You can assign the function to a button by editing the [MBSEQ_HW.V4 file](#).

You can also access the UNDO function through the Utility Functions Menu (MENU+GP Button #10 or F1 Button).

The UNDO function reverts the most recent COPY, PASTE, CLEAR, MOVE, SCROLL, or Random Generator operation

From:
<https://midibox.org/dokuwiki/> - **MIDIbox**

Permanent link:
<https://midibox.org/dokuwiki/doku.php?id=mididocs:seq:utilityfunctions&rev=1411317012>

Last update: **2014/09/21 16:30**

